ACDE EUROPE®
+41 62 58 80 164
info@acde-europe.com
www.acde-europe.com

2025
ASB-7T-SERIE
Drehbare 7 Zahn Baumgreifer
Rotating 7 Teeth Log - Grapples

Member of

DA DEUTSCHER ABBRUCHVERBAND
EDA EUROPEAN DEMOLITION ASSOCIATION

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

B-ASB-7T-29-01-2025

ASB-7T-SERIE Rotating 7 Teeth Log Grapple | Drehbare 7 Zahn Baumgreifer

for Excavators from 1.5 ~ 38 t | für Bagger mit 1.5 ~ 38 t

			A/A1	B	C	D	F kN 1							AC	
	1*)	2*)	-	-	-	-	7*)	8*)	9*)	10*)	11*)	12*)	13*)	14*)	15*)
	Kg	t	mm	mm	mm	mm	kN	°	l/min/max	bar/ min-max	l/min/max	bar	ltr	AC	
ASB-160-7T	170	1.5-3	680	450	330	1100	15	360	10	170-210	25	300	40	AC03	M16
ASB-280-7T	210	3.5.5	780	450	330	1100	15	360	10	170-210	30	300	80	AC03	M16
ASB-460-7T	390	4-8	850	735	500	1540	15	360	12	190-210	40	300	80	AC03	M16
ASB-500-7T	460	5-8	870	735	500	1540	24	360	12	210-300	50	300	200	AC05	M16
ASB-600-7T	550	6-11	1100	735	500	1540	24	360	15	210-300	70	350	200	AC08	M16
ASB-800-7T	900	10-16	1170	800	535	2050	35	360	25	210-350	100	350	175	AC09	M30
ASB-800-7T-2M		10-16	1170	800	535	2050	35	360	25			350	175	AC09	M30
ASB-1000-7T	1150	16-24	1160	910	652	2050	46	360	35	210-350	120	350	240	AC09	M30
ASB-1000-7T-2M		16-24	1160	910	652	2050	46	360	35			350	240	AC09	M30
ASB-1500-7T	1700	17-28	1460	1230	840	2250	68	360	35	210-350	160	350	500	AC09	M30
ASB-1500-7T-2M		17-28	1460	1230	840	2250	68	360	35			350	500	AC09	M30
ASB-2300-7T	2100	25-38	1550	1230	840	2250	78	360	35	210-350	170	350	500	AC10	M30

1*) WEIGHT, without bracket / GEWICHT ohne Kopfplatte | 2*) APPLICABLE EXCAVATOR / GEEIGNETER BAGGER | 7*) PINCHING FORCE / KNEIFKRAFT | 8*) ROTATION / ROTATION | 9*) Oil Flow Rotation / Ölfluss Rotation | 10*) Oil PRESSURE Rotation / ÖlDRUCK Rotation | 11*) WORKING OIL FLOW / ÖLFLUSS | 12*) SET PRESSURE / EINSTELLDRUCK | 13*) VOLUME/ INHALT | 14*) HOLE PATTERN / LOCHMUSTER | 15*) BOLT SIZE / SCHRAUBENGRÖSSE

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

ACDE EUROPE®
+41 62 58 80 164
info@acde-europe.com
www.acde-europe.com

2025

ASB-7T-ND-SERIE

Starre 7 Zahn Baumgreifer

Rigid 7 Teeth Log - Grapples

Member of

DA DEUTSCHER ABBRUCHVERBAND · EDA EUROPEAN DEMOLITION ASSOCIATION

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

B-ASB-7T-ND-29-01-2025

ASB-7T-ND-SERIE Rigid 7 Teeth Log Grapple | Starre 7 Zahn Baumgreifer

for Excavators from 1.5 ~ 38 t | für Bagger mit 1.5 ~ 38 t

			A/A1	B	C	D						
	1*)	2*)	-	-	-	-	7*)	11*)	12*)	13*)	14*)	15*)
	Kg	t	mm	mm	mm	mm	kN	l/min/max	bar	ltr	AC	
ASB-160-7T-ND		1.5-3		450	330	1100	15	25	300	40	AC03	M16
ASB-280-7T-ND		3.5.5		450	330	1100	15	30	300	80	AC03	M16
ASB-460-7T-ND		4-8		735	500	1540	15	40	300	80	AC03	M16
ASB-500-7T-ND		5-8		735	500	1540	24	50	300	200	AC05	M16
ASB-600-7T-ND		6-11		735	500	1540	24	70	350	200	AC08	M16
ASB-800-7T-ND		10-16		800	535	2050	35	100	350	175	AC09	M30
ASB-1000-7T-ND		16-24		910	652	2050	46	120	350	240	AC09	M30
ASB-1500-7T-ND		17-28		1230	840	2250	68	160	350	500	AC09	M30
ASB-2300-7T-ND		25-38		1230	840	2250	78	170	350	500	AC10	M30

1*) WEIGHT, without bracket / GEWICHT ohne Kopfplatte | 2*) APPLICABLE EXCAVATOR / GEEIGNETER BAGGER | 7*) PINCHING FORCE / KNEIFKRAFT | 8*) ROTATION / ROTATION | 9*) Oil Flow Rotation / Ölfluss Rotation | 10*) Oil PRESSURE Rotation / ÖIDRUCK Rotation | 11*) WORKING OIL FLOW / ÖLFLUSS | 12*) SET PRESSURE / EINSTELLDRUCK | 13*) VOLUME/ INHALT | 14*) HOLE PATTERN / LOCHMUSTER | 15*) BOLT SIZE / SCHRAUBENGRÖSSE

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

ACDE EUROPE®
+41 62 58 80 164
info@acde-europe.com
www.acde-europe.com

2025
ASB-SERIE
Drehbare Baumgreifer
Rotating Log - Grapples

Member of

DA DEUTSCHER ABBRUCHVERBAND · EDA EUROPEAN DEMOLITION ASSOCIATION

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

B-ASB-29-01-2025

ASB-SERIE Rotating Log Grapple | Drehbare Baumgreifer

for Excavators from 1.5 ~ 50 t | für Bagger mit 1.5 ~ 50 t

			A/A1	B	C	D									
	1*)	2*)	-	-	-	-	7*)	8*)	9*)	10*)	11*)	12*)	13*)	14*)	15*)
	Kg	t	mm	mm	mm	mm	kN	°	l/min/max	bar/ min-max	l/min/max	bar	ltr	AC	
ASB-160	160	1.5-3	765	450	330	1100	15	360	10	170-210	25	300		AC03	M16
ASB-280	260	3.5.5	780	450	330	1100	15	360	10	170-210	30	300		AC03	M16
ASB-460	400	4-8	850	735	500	1540	15	360	12	190-210	40	300		AC03	M16
ASB-500	440	5-8	863	735	500	1540	24	360	12	190-210	50	300		AC05	M16
ASB-600	550	7-11	1350	735	500	1540	24	360	15	190-210	70	320		AC09	M30
ASB-800	832	10-16	1340	800	535	2050	35	360	25	190-210	100	350		AC09	M30
ASB-1000	1000	13-20	1160	910	652	2050	46	360	35	190-210	120	350		AC09	M30
ASB-1000-2M	1000	13-20	1160	910	652	2050	46	360	35	190-210	120	350		AC09	M30
ASB-1090	1100	16-24	1160	910	652	2050	46	360	35	190-210	120	350		AC09	M30
ASB-1090-2M	1100	16-24	1160	910	652	2050	46	360	35	190-210	120	350		AC09	M30
ASB-1500	1500	17-28	1460	910	810	2250	48	360	35	190-210	160	350		AC09	M30
ASB-1500-2M	1500	17-28	1460	910	810	2250	48	360	35	190-210	160	350		AC09	M30
ASB-1800	1600	20-28	1550	910	810	2250	68	360	35	190-210	160	350		AC09	M30
ASB-1800-2M	1600	20-28	1550	910	810	2250	68	360	35	190-210	160	350		AC09	M30
ASB-2300-2M	1800	25-38	1550	910	810	2250	68	360	35	210-350	160	350		AC10	M30
ASB-2700-2M	2900	30-50	1900	1200	1000	2850	90	360	35	210-350	200	350		AC10	M30

1*) WEIGHT, without bracket / GEWICHT ohne Kopfplatte | 2*) APPLICABLE EXCAVATOR / GEEIGNETER BAGGER | 7*) PINCHING FORCE / KNEIFKRAFT | 8*) ROTATION / ROTATION | 9*) Oil Flow Rotation / Ölfluss Rotation | 10*) Oil PRESSURE Rotation / ÖLDRUCK Rotation | 11*) WORKING OIL FLOW / ÖLFLUSS | 12*) SET PRESSURE / EINSTELLDRUCK | 13*) VOLUME/ INHALT | 14*) HOLE PATTERN / LOCHMUSTER | 15*) BOLT SIZE / SCHRAUBENGRÖSSE

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

ACDE EUROPE®
+41 62 58 80 164
info@acde-europe.com
www.acde-europe.com

2025
ASB-ND-SERIE
Starre Baumgreifer
Rigid Log - Grapples

Member of

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com

B-ASB-ND-29-01-2025

ASB-ND-SERIE Rigid Log Grapple | Starre Baumgreifer

for Excavators from 1.5 ~ 50 t | für Bagger mit 1.5 ~ 50 t

			A/A1	B	C	D	F kN 1				AC	
	1*)	2*)	-	-	-	-	7*)	11*)	12*)	13*)	14*)	15*)
	Kg	t	mm	mm	mm	mm	kN	l/min/max	bar	ltr	AC	
ASB-160-ND	160	1.5-3	765	450	400	1100	15	25	300		AC03	M16
ASB-280-ND	260	3.5.5	780	450	400	1100	15	30	300		AC03	M16
ASB-460-ND	400	4-8	850	550	500	1540	24	40	300		AC03	M16
ASB-500-ND	440	5-8	863	550	500	1540	24	50	300		AC05	M16
ASB-600-ND	500	7-11	1350	550	500	1540	35	100	320		AC09	M30
ASB-800-ND	832	10-16	1340	515	535	2050	35	120	350		AC09	M30
ASB-1000-ND	1000	13-20	1160	735	635	2050	46	120	350		AC09	M30
ASB-1090-ND	1100	16-24	1160	910	652	2050	46	120	350		AC09	M30
ASB-1500-ND	1500	17-28	1460	910	810	2250	48	160	350		AC09	M30
ASB-1800-ND	1600	20-28	1550	910	810	2250	68	160	350		AC09	M30
ASB-2300-ND	1800	25-38	1550	910	810	2250	68	160	350		AC10	M30

1*) WEIGHT, without bracket / GEWICHT ohne Kopfplatte | 2*) APPLICABLE EXCAVATOR / GEEIGNETER BAGGER | 7*) PINCHING FORCE / KNEIFKRAFT | 8*) ROTATION / ROTATION | 9*) Oil Flow Rotation / Ölfluss Rotation | 10*) Oil PRESSURE Rotation / ÖIDRUCK Rotation | 11*) WORKING OIL FLOW / ÖLFLUSS | 12*) SET PRESSURE / EINSTELLDRUCK | 13*) VOLUME/ INHALT | 14*) HOLE PATTERN / LOCHMUSTER | 15*) BOLT SIZE / SCHRAUBENGRÖSSE

COPYRIGHT 2025 © ACDE®EUROPE AG. ALL RIGHTS RESERVED, Subject to errors and changes. Our general terms and conditions apply, published at www.acde-europe.com